



LIBTECS



The Ruby RFID Staff station is designed for converting, programming and identifying HF library labels in books, magazines etc.

## RUBY RFID STAFF STATION

Seamless integration of technologies

The Ruby RFID Staff station is a fast and efficient tool to write or read HF tags and (re)setting the EAS or AFI bit. The unit can operate in stand-alone or in host mode. It can be used as a desktop solution or mounted under a (non-metal) desk.



The Ruby RFID Staff station is available in 3 versions:

- Table top model shielded
- Table top model
- Undercounter model

### Features

Easy to install

Standard USB connection, power over USB, no external power supplies.

Set/Reset EAS or AFI bit: Check-in / Check-out

Multi label ID (anti-collision protocol)

Shielded (shielded version) to work in any environment



LIBTECS



Security



## SPECIFICATIONS

Version	Shielded	Table top	Table counter
Dimensions LxWxH (mm)	300 x 210 x 27	300 x 210 x 13	300 x 210 x 13
Weight (kg)	1,8	1,2	1,2
Top surface	high-impact composite	high-impact composite	PVC
Bottom	stainles steel	PVC	PVC

### Functions

Set / reset EAS bit of AFI: Check-in / check-out

### Compatibility

Stand alone / host control mode

USB interface for communication with the library circulation software (LMS)

### Check-in / check-out materials

Books / Magazines / Media

### Standard

ISO 15693 / 18000-3 mode 1 / ISO 28560-2 / ISO 28560-3

### Certifications

CE / EMC

### Item protection

EAS or AFI bit

### Item identification

RFID (HF) reader (HF tags)

### Software

ourLib® Staff station software including YourLib® ID Converter and a handy plug-in.

### Power

over USB

### Environmental facts

Temperature: + 10°C < > 45°C